

Access camera 80 for
Siedle Vario
ACM 670-02

Page 1



Product description

Access camera 80 for Siedle Vario with automatic day/night switchover (True Day/Night) and integrated infrared lighting. Horizontal/vertical pick-up angle: appr. 80°/60°

Colour system: PAL

Image pick-up: CMOS sensor 1/3" 728 x 488 Pixel

Resolution: 500 TV lines

Lens: 2.9 mm

Mechanical adjustment range: 30° horizontal/vertical

2-step heating: Integrated

Specifications

Protection system:	IP 54, IK 10
Ambient temperature:	-20 °C to +55 °C
Height of structure (mm):	32
Dimensions (mm) W x H x D:	99 x 99 x 58

Article information

Article designation	Article description	Colour/Material	Article no.
ACM 670-02 BG	Access camera 80 for Siedle Vario	Micaceous amber	049018
ACM 670-02 DG	Access camera 80 for Siedle Vario	Micaceous dark grey	049019
ACM 670-02 SH	Access camera 80 for Siedle Vario	High gloss black	049017
ACM 670-02 SM	Access camera 80 for Siedle Vario	Silver metallic	049015
ACM 670-02 W	Access camera 80 for Siedle Vario	White	049014
ACM 670-02 WH	Access camera 80 for Siedle Vario	High gloss white	049016

Access camera 80 for
Siedle Vario
ACM 670-02

Page 2





Access camera 80 for
Siedle Vario
ACM 670-02

Page 3

Camera 80	Product information	949 kB	Download
ACM 670-0/-02 Access camera module	Declaration of Conformity	620 kB	Download