



Product description

Access camera module 80° for installation in Siedle Vario 611 housing and the Siedle Access intercom system.

Performance features:

- Integrated heating with 2-stage temperature control
- Infrared lighting and control electronics
- Colour system PAL
- Image pick-up CMOS sensor 8.4 mm (1/3") 720 x 480 pixel (horizontal/vertical)
- Lens attachment 2.9 mm
- Pick-up angle vertical 60°, horizontal 80°
- Additional mechanical adjustment range 30° horizontal and vertical
- Horizontal resolution 500 TV-lines

Specifications

Protection system:	IP 54, IK 10
Ambient temperature:	-20 °C to +55 °C
Height of structure (mm):	32
Dimensions (mm) W x H x D:	99 x 99 x 58

Article information

Article designation	Article description	Colour/Material	Article no.
ACM 670-02 BG	Access camera module	Micaceous amber	049018
ACM 670-02 DG	Access camera module	Micaceous dark grey	049019
ACM 670-02 SH	Access camera module	High gloss black	049017
ACM 670-02 SM	Access camera module	Silver metallic	049015
ACM 670-02 W	Access camera module	White	049014
ACM 670-02 WH	Access camera module	High gloss white	049016

Access camera module
ACM 670-0

Page 2





Access camera module
ACM 670-0

Page 3

ACM 670-01 Access camera module	Product information	756 kB	Download
ACM 670-0 Access camera module	Product information	1,1 MB	Download
ACM 670-0/-02 Access camera module	Declaration of Conformity	620 kB	Download