



Product description

Deluxe bus video panel with touchscreen 17.8 cm for the Siedle In-Home bus.

With the functions calling, speech, vision, door release, light, storey call/switching/control functions, signal displays and internal communication.

Deluxe bus video panel with touchscreen 17.8 cm for the Siedle In-Home bus.

Functions:


- Calling, speech, vision, door release, light, storey call/switching/control functions, signal displays and internal communication
- Integrated video memory, capacity for over 2000 images with the supplied SD card (4GB)
- 15 switching/control functions in conjunction with the bus switching module BSM/BSE 650-...
- 15 signal displays
- Optimized depiction of switching/control functions and messages
- Voice volume adjustable in 5 stages
- 11 different electronic call tones to chose from
- Optical call display by flashing of the speech button
- Selective dialling of max. 15 door loudspeakers/cameras
- Call silencing and status display
- Call volume adjustable in 5 stages up to max. 83 dB(A)
- Door release/light function at any time using bus cores
- Door/video connection possible at any time
- Feedback for switching/control functions and messages in conjunction with bus input module BEM 650-...
- Internal telephony with max. 15 indoor stations
- Call forwarding
- Collective announcement
- Automatic call pick-up of internal calls

Specifications


Operating voltage:	20–30 V DC
Operating current:	max. 400 mA
Contact type:	potential-free S1/S1 max. 15 V AC, 30 V DC, 1 A switching time 0.4 sec – 19 min
Dimensions (mm) W x H x D:	202 x 202 x 30

Article information

Article designation	Article description	Colour/Material	Article no.
BVPC 850-0 A/S	Deluxe bus video panel	Aluminium/Black	044747
BVPC 850-0 A/W	Deluxe bus video panel	Aluminium/White	044216



Article designation	Article description	Colour/Material	Article no.
BVPC 850-0 E/S	Deluxe bus video panel	Stainless steel/Black	044214
BVPC 850-0 E/W	Deluxe bus video panel	Stainless steel/White	044748
BVPC 850-0 EC/S	Deluxe bus video panel	Chrome/Black	044752
BVPC 850-0 EC/W	Deluxe bus video panel	Chrome/white	044751
BVPC 850-0 EG/S	Deluxe bus video panel	Gold/Black	044754
BVPC 850-0 EG/W	Deluxe bus video panel	Gold/White	044753
BVPC 850-0 S	Deluxe bus video panel	Black	044204
BVPC 850-0 SH/S	Deluxe bus video panel	High gloss black/Black	044220
BVPC 850-0 SH/W	Deluxe bus video panel	High gloss black/white	044749
BVPC 850-0 W	Deluxe bus video panel	White	044075
BVPC 850-0 WH/S	Deluxe bus video panel	High gloss white/Black	044750
BVPC 850-0 WH/W	Deluxe bus video panel	High gloss white/White	044218







Accessories





Article designation	Article description	Colour/Material	Article no.
ZTVP 850-0 E	Table-top accessory	Stainless steel	044550
ZTVP 850-0 S	Table-top accessory	Black	044551
ZTVP 850-0 W	Table-top accessory	White	044552





Spare parts




Article designation	Article description	Colour/Material	Article no.
BTSV/BTCV/BFSV/BFCV 850-...	Terminals	Blue	029597














Deluxe bus video panel
BVPC 850-0

Page 9





BVPS/BVPC 850-0 Standard/Deluxe bus video panel	Product information	1,4 MB	Download
BVPC 850-0 Deluxe bus video panel	Manual	26,6 MB	Download
ZTVP 850-0 Table-top accessory	Product information	1,6 MB	Download
BVPS/BVPC 850-0 Standard/Deluxe bus video panel	Declaration of Conformity	409 kB	Download
	Product catalog	3,0 MB	Download
	Product information	79 kB	Download
	Product information	796 kB	Download
	Product information	74 kB	Download
	Product information	74 kB	Download
	Product information	70 kB	Download
	Product information	73 kB	Download
	Product information	84 kB	Download
	Product information	71 kB	Download
	Product information	75 kB	Download
Model comparison of bus video panels	Product information	75 kB	Download
	Product information	79 kB	Download