

Product description

Code lock module as an input unit for the placement of codes for control functions in conjunction with the Siedle Vario bus.

- in conjunction with entrance controller EC 602-... for setting control function and access control codes. Programming takes place using PRI 602-... or PRI 602-... USB and provided PRS 602-...
- in conjunction with door controller IP TCIP 603-... for setting control function and access control codes. Programming via web browser
- Operation with call controller RC 602-..., for programming codes for door calls, a C button to delete incorrect entries and a DR button for direct door release. This door release function can additionally be controlled by a time switch provided by the user. An integrated LED can be used via an external potential-free contact as a status indication.
- Operation in conjunction with door loudspeaker controller TLC 640-... for setting control function and access control codes.
- Programming using PRI 602-... or PRI 602-... USB and the TLC programming software
- Operation in conjunction with door loudspeaker controller TLC 640-..., for setting door call codes
- A C button for deleting incorrect inputs.
- LED as a status display (external potential-free contact).

Specifications


Operating voltage:	12 V AC
Operating current:	max. 100 mA
Protection system:	IP 54
Ambient temperature:	-20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 27

Article information

Article designation	Article description	Colour/Material	Article no.
COM 611-02 GM	Code lock module	Graphite brown metallic	036513
COM 611-02 TM	Code lock module	Titanium metallic	036515

Code lock module
COM 611-02

Page 2






Accessories

Article designation	Article description	Colour/Material	Article no.
Vario 611 GM	Repair paint	Graphite brown metallic	039939
Vario 611 TM	Repair paint	Titanium metallic	039938


Spare parts

Article designation	Article description	Colour/Material	Article no.
COM 611-...	Terminal block	Black	116567



Code lock module
COM 611-02

Page 4



COM 611-02 Code lock module

Product information

84 kB

[Download](#)

Declaration of Conformity

665 kB

[Download](#)