



Product description

Entrance controller in switch panel housing for code lock module COM 611-..., electronic key reading module ELM 611-... or fingerprint module FPM 611-...

Display-supported programming of integrated buttons, or by means of PC software via additional programming interface PRI 602-... Electronic evaluating circuit with 2 switching outputs, extendable to 8 with ECE 602-..., 2 control inputs for time-controlled access rights.

Specifications

Operating voltage:	12 V AC
Operating current:	150 mA
Contact type:	2 changeover switches 24 V, 2 A
Ambient temperature:	0 °C to +40 °C
Protection system:	IP 20
Horizontal pitch (HP):	6
Dimensions (mm) W x H x D:	107 x 89 x 60

Article information

Article designation	Article description	Colour/Material	Article no.
EC 602-03 DE	Entrance controller	Black	036355
EC 602-03 EN/DK	Entrance controller	Black	036357
EC 602-03 FR/IT/NL	Entrance controller	Black	036356

Entrance controller
EC 602-03 DE

Page 2



Accessories

Article designation	Article description	Colour/Material	Article no.
ECE 602-0	Entrance controller extension	Black	015970
ZAP 6-0	Accessory terminal cover	Black	105205
ZRCE 602-0	Ribbon cable	Miscellaneous	017875

Entrance controller
EC 602-03 DE

Page 3





EC 602-03 Entry-controller

Product information

775 kB

[Download](#)

Programming instructions

609 kB

[Download](#)

Programming instructions

5,2 MB

[Download](#)

Programming template

474 kB

[Download](#)

EC 602-...

Declaration of Conformity

534 kB

[Download](#)