

Programming interface  
RS232  
PRI 602-0

Page 1



## Product description

The programming interface connects an IBM-compatible Windows PC with the Vario bus system.

The electronic conversion circuit is equipped with a bilateral connecting cable from Sub-D plug (RS232) to 6-pin telecom/Western connector, appr. 3.5 m long. A 6-pin telecom/Western socket (ZWA 640-... recommended) must be provided in conjunction with the Vario bus system.

## Specifications

Operating voltage:	10–15 V AC
Protection system:	IP 30
Ambient temperature:	0 °C to +40 °C
Horizontal pitch (HP):	3
Dimensions (mm) W x H x D:	90 x 65 x 25

## Article information

Article designation	Article description	Colour/Material	Article no.
PRI 602-0	Programming interface RS232	Black	217880

Programming interface  
RS232  
PRI 602-0

Page 2





Programming interface  
RS232  
PRI 602-0

Page 3

---

<a href="#">PRI 602-0 Programming interface</a>	<a href="#">Product information</a>	169 kB	<a href="#">Download</a>
<a href="#">PRI 602-... USB</a>	<a href="#">Declaration of Conformity</a>	406 kB	<a href="#">Download</a>
<a href="#">BPS 650-0 V2.12.0 Bus programming software</a>	<a href="#">Software</a>	50,2 MB	<a href="#">Download</a>