



Product description

The Smart Gateway Mini permits mobile video door communication with the Siedle App. By extending the SGM 650-... to include a handset SZM 851-..., the unit becomes a Siedle Scope S 851-... with full functional scope. 2 years of updates included.

Performance features:

- Gateway for operation of the Siedle app (iPhone and iPad)
- Gateway for door communication, landline telephony and internal telephony
- Compatible with DECT telephones of other makes in compliance with GAP profile
- Upgradable: up to 8 cordless handsets (max. 8 Scope cordless handsets, max. 4 GAP telephones)
- Upgradable using repeaters
- Range outdoors up to 300 m, indoors up to 50 m
- Wall and table-top mounting
- Simple commissioning
- Update capability using the web browser

Specifications

Dimensions (mm) W x H x D:	180 x 180 x 32
Ambient temperature:	+5 °C to +40 °C

Article information

Article designation	Article description	Colour/Material	Article no.
SGM 650-0 AT/CH/IT/ES	Smart Gateway Mini	Black	048691
SGM 650-0 BE/LU	Smart Gateway Mini	Black	048692
SGM 650-0 DE	Smart Gateway Mini	Black	048668
SGM 650-0 DK/NO/SE	Smart Gateway Mini	Black	048693
SGM 650-0 FR	Smart Gateway Mini	Black	048694
SGM 650-0 GB	Smart Gateway Mini	Black	048669
SGM 650-0 NL	Smart Gateway Mini	Black	048695
SGM 650-0 PL	Smart Gateway Mini	Black	048696
SGM 650-0 US/CA	Smart Gateway Mini	Black	048670

Smart Gateway Mini
SGM 650-0 AT/CH/IT/ES

Page 2





S 851-0, SGM 650-0 Siedle Scope, Smart Gateway Mini	Product information	1,2 MB	Download
Application examples Smart Gateway Mini SGM 650-0	Additional information	1,5 MB	Download
S 851-0, SGM 650-0 Siedle Scope and Smart Gateway Mini	Manual	10,5 MB	Download
S 851-0, SGM 650-0 Siedle Scope and Smart Gateway Mini	Commissioning instruction	8,9 MB	Download
BPS 650-0 V2.12.0 Bus programming software	Software	50,2 MB	Download
Update notices S 851-0, SGM 650-0	Additional information	2,4 MB	Download
S 851-0, SGM 650-0 Firmware V. 1.23.2.940	Firmware	1,6 MB	Download
S 851-0, SZM 851-0, SGM 650-0	Update instructions	2,4 MB	Download
S 851-0, SZM 851-0, SGM 650-0	Declaration of Conformity	405 kB	Download