



Select doorstation
audio
STA 850-1

Page 1

Product description

Select door station audio for the Siedle In-Home bus, made of high-grade plastic with aluminium front, for surface-mounting. Door loudspeaker, integrated light button, call button(s) with backlit nameplate, exchangeable from the front.

The door station is equipped with one, two or four call buttons.

Specifications

Contact type:	n.o. contact 15 V AC/30 V DC, 2 A
Ambient temperature:	-20 °C to +55 °C
Protection system:	IP 54
Dimensions (mm) W x H x D:	100 x 340 x 37

Article information

Article designation	Article description	Colour/Material	Article no.
STA 850-1 A	Select doorstation audio	Aluminium	036691
STA 850-1 W	Select doorstation audio	White	037847
STA 850-2 A	Select doorstation audio	Aluminium	036692
STA 850-2 W	Select doorstation audio	White	037848
STA 850-4 A	Select doorstation audio	Aluminium	036694
STA 850-4 W	Select doorstation audio	White	037849



Select doorstation
audio
STA 850-1

Page 2

Accessories


Article designation	Article description	Colour/Material	Article no.
Vario 611 W	Repair paint	White	039936

Spare parts

Article designation	Article description	Colour/Material	Article no.
CA/CV 812/850-...STA/STV 850-...	Loudspeaker	Miscellaneous	029867
CSA/CSV/STA/STV 850-...	Microphone	Miscellaneous	029820
CSA/CSV/STA/STV 850-1	Nameplate superstructure	Clear glass	029816
CSA/CSV/STA/STV 850-1	Nameplate insert	White	029813
CSA/CSV/STA/STV 850-2	Nameplate insert	White	029814
CSA/CSV/STA/STV 850-2	Nameplate superstructure	Clear glass	029817
CSA/CSV/STA/STV 850-4	Nameplate superstructure	Clear glass	029818
CSA/CSV/STA/STV 850-4	Nameplate insert	White	029815
CSA/STA 850-1 A	Housing superstructure	Aluminium	029821
CSA/STA 850-2 A	Housing superstructure	Aluminium	029822
CSA/STA 850-4 A	Housing superstructure	Aluminium	029824

Select doorstation
audio
STA 850-1

Page 3





Select doorstation
audio
STA 850-1

Page 4

STA 850-... Select doorstation audio	Product information	1,9 MB	Download
STA 850 Select doorstation audio	Declaration of Conformity	337 kB	Download
	Labeling service	1,9 MB	Download
	Product information	207 kB	Download