



Siedle Scope
supplementary cordless
handset with charging
tray
SZM 851-0 GB

Page 1

Product description

Siedle Scope supplementary cordless handset with charging cradle and plug-in line rectifier. The SZM 851-... is a mobile video intercom and cordless landline telephone (DECT) in one, and extends the Siedle Scope S 851-... or Smart Gateway Mini SGM 650-...

Performance features:

- Individual design concept with six design variants
- Charging cradle with illuminated control keys (call acceptance and door release)
- 5.5 cm colour display, 240 x 320 pixel
- Hearing aid compatibility (inductive coupling of the audio signal)
- Illuminated keypad
- Door release button
- Handsfree function
- Microphone and ring tone silencing
- Speed dial with numerical buttons and softkey buttons
- 8 ring tones
- Standby life of up to 100 h

Article information

Article designation	Article description	Colour/Material	Article no.
SZM 851-0 A/S GB	Siedle Scope supplementary cordless handset with charging tray	Aluminium/Black	044745
SZM 851-0 E/S GB	Siedle Scope supplementary cordless handset with charging tray	Stainless steel/Black	044777
SZM 851-0 EC/S GB	Siedle Scope supplementary cordless handset with charging tray	Chrome/Black	044780
SZM 851-0 EG/S GB	Siedle Scope supplementary cordless handset with charging tray	Gold/Black	044789
SZM 851-0 SH/S GB	Siedle Scope supplementary cordless handset with charging tray	High gloss black/Black	044783
SZM 851-0 WH/S GB	Siedle Scope supplementary cordless handset with charging tray	High gloss white/Black	044786



Siedle Scope
supplementary cordless
handset with charging
tray
SZM 851-0 GB

Page 2

Spare parts

Article designation	Article description	Colour/Material	Article no.
S 851-0	Siedle Scope battery li-ion 3.7 V, 1000 mAh	Black	044541



Siedle Scope
supplementary cordless
handset with charging
tray
SZM 851-0 GB

Page 3





Siedle Scope
supplementary cordless
handset with charging
tray
SZM 851-0 GB

Page 4

S 851-0, SGM 650-0 Siedle Scope, Smart Gateway Mini

Product information

1,2 MB

[Download](#)

S 851-0, SZM 851-0, SGM 650-0

Declaration of Conformity

405 kB

[Download](#)